

			Form Ap	oproved. O.M.B. Nos. 2	070-0012 and 2070-0038			
U.S. ENVIF	RONMEN	TAL PROTECTION	AGENCY	AGENCY USE ONLY				
Canton or Alica		PREM	MANUFACTURE	Date of receipt:	08/24/2017			
AL PROTECTION	PΑ	FOR NEW C	NOTICE HEMICAL SUBSTANCES					
When Office of Pollution Prevention and To Document Control Office (7407M)		ution Prevention and Toxics	If sending by US Mail: Office of Pollution Prevention and Toxics Document Control Office (7407M)	Submission Report Number				
send this form to:	WASHINGTO	Constitution Ave NW N, D.C. 20460 bers: 202-564-8930/8940	US EPA, 1200 Pennsylvania Ave NW WASHINGTON, D.C. 20460					
Total Numbe	r of Pages	User	Fee Payment ID Number		TS Number			
26		6147832		JM269H				
			GENERAL INSTRUCTIONS	-				
Before you co (TSCA) Inforr	mplete this form mation Service by	, you should read the "Instructions y calling 202-554-1404, or faxing 2	tent that it is known to or reasonably ascertainable Manual for Premanufacture Notification" (the Instr 202-554-5603).  Indicate in the boxes above the TS-user fee identification.	ructions Manual is available	from the Toxic Substances Control Act			

must also appear on your corresponding fee remittance. For mailing address information see the Help instructions in the e-PMN tool.

#### Part I - GENERAL INFORMATION

You must provide the currently correct Chemical Abstracts (CA) Name of the new chemical substance, even if you claim the identity as confidential. You may authorize another person to submit chemical identity information for you, but your submission will not be complete and the review will not begin until EPA receives this information. A letter in support of your submission should reference your TS user fee identification number. For all Section 5 Notice submissions (paper or electronic) you must submit an original notice including all test data; if you claimed any information as confidential, an original sanitized copy must also be submitted.

# Part II – HUMAN EXPOSURE AND ENVIRONMENTAL RELEASE

If there are several manufacture, processing, or use operations to be described in Part II, sections A and B of this notice, reproduce the sections as needed.

#### Part III - LIST OF ATTACHMENTS

For paper submissions, attach additional sheets if there is not enough space to answer a question fully. Label each continuation sheet with the corresponding section heading. In Part III, list these attachments, any test data or other data and any optional information included in the notice

#### **OPTIONAL INFORMATION**

You may include any information that you want EPA to consider in evaluating the new substance. On page 11 of this form, space has been provided for you to describe pollution prevention and recycling information you may have regarding the new substance. "Binding" boxes are included throughout this form for you to indicate your willingness to be bound to certain statements you make in this section, such as use, production volume, protective equipment . . . The intention is to reduce delays that routinely accompany the development of consent orders or Significant New Use Rules. Checking a "binding" box in a PMN does not by itself prohibit the submitter from later deviating from the information (except chemical identity) reported in the form; however, in the case of exemption applications (such as TMEA, LVE, LOREX) certain information provided in such notifications is binding on the submitter when the Agency approves the exemption application, especially if the production volume "binding" box is chosen in a

#### **CONFIDENTIALITY CLAIMS**

You may claim any information in this notice as confidential. To assert a claim on the form, mark (X) the confidential box next to the information that you claim as confidential. To assert a claim in an attachment, circle or bracket the information you claim as confidential. If you claim information in the notices as confidential, you must also provide a sanitized version of the notice, (including attachments). For additional instructions on claiming information as confidential, read the Instructions Manual.

#### **TEST DATA AND OTHER DATA**

You are required to submit all test data in your possession or control and to provide a description of all other data known to or reasonably ascertainable by you, if these data are related to the health and environmental effects on the manufacture, processing, distribution in commerce, use, or disposal of the new chemical substance. Standard literature citations may be submitted for data in the open scientific literature. Complete test data (written in English), not summaries of data, must be submitted if they do not appear in the open literature. You should clearly identify whether test data is on the substance or on an analog. Also, the chemical composition of the tested material should be characterized. Following are examples of test data and other data. Data should be submitted according to the requirements of §720.50 of the Premanufacture Notification Rule (40 CFR Part 720).

	Test Data (Check Below any include	ed	in this notice)					
Х	Environmental fate data		Other Data					
X	Health effects data	ı	Risk Assessments					
X	Environmental effects data  Physical/Chemical Properties (A physical a located on the last page of this form.)  Test data not in the possession or control of the last page of t	nd (						
	TYPE OF NOTICE (Check C	nly	One)					
X	PMN (Premanufacture Notice)							
	SNUN (Significant New Use Notice)							
	TMEA (Test Marketing Exemption Application)							
	LVE (Low Volume Exemption) @ 40 CFR 72	3.50	)(c)(1)					
	LOREX (Low Release/Low Exposure Exemp	tion)	@ 40 CFR 723.50(c)(2)					
	LVE Modification							
	LOREX Modification							
	Mock Submission							
	Mark (X) if pending Letter of Support							
N	IS THIS A CONSOLIDATED PMN (Y/N)?							
1	# of chemicals or polymers (Prenotice Corp. 3).	mmı	unication # required, enter # on					
X	Mark (X) if any information in this notice is cla	ime	ed as confidential.					



SANITIZED SUBMISSION

The public reporting and recordkeeping burden for this collection of information is estimated to average 93 hours per response. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates, and any suggested methods for minimizing respondent burden, including through the use of automated collection techniques to the Director, Collection Strategies Division, U.S. Environmental Protection Agency (2822T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed EPA Form 7710-25 to this address.

**CERTIFICATION** -- A printed copy of this signature page, with original signature, must be submitted with CD or paper submission.

I hereby certify to the best of my knowledge and belief that all information entered on this form is complete and accurate. I further certify that, pursuant to 15 U.S.C. § 2613(c), for all claims for protection for any confidential information made with this submission, all information submitted to substantiate such claims is true and correct, and that it is true and correct that the person submitting the claim has:

- (i) taken reasonable measures to protect the confidentiality of the information;
- (ii) determined that the information is not required to be disclosed or otherwise made available to the public under any other Federal law
- (iii) a reasonable basis to conclude that disclosure of the information is likely to cause substantial harm to the competitive position of the person; and
- (iv) a reasonable basis to believe that the information is not readily discoverable through reverse engineering.

Any knowing and willful misrepresentation is subject to criminal penalty pursuant to 18 U.S.C. § 1001.

#### **Additional Certification Statements:**

If you are submitting a PMN, Intermediate PMN, Consolidated PMN, or SNUN, check the following **user fee** certification statement that applies:


certification	certification statement that applies:								
X	The Company nar	med in Part I, Section A has remitted the fee of \$2500	0 specified in 40	CFR 700.45(b), or					
		med in Part I, Section A has remitted the fee of \$1000 0 CFR 700.45(b), or	0 for an Interme	diate PMN (defined @ 40 CFR	700.43) in				
	The Company named in Part I Section A is a small business concern under 40 CFR 700.43 and has remitted a fee of \$100 in accordance with 40 CFR 700.45(b).								
If you are submitting a <b>Low Volume Exemption (LVE)</b> application in accordance with 40 CFR 723.50(c)(1) or a <b>Low Release and Low Exposure Exemption (LoRex)</b> application in accordance with 40 CFR 723.50(c)(2), check the following certification statements:									
The manufacturer submitting this notice intends to manufacture or import the new chemical substance for commercial purposes, other than in small quantities solely for research and development, under the terms of 40 CFR 723.50.									
	The manufacture	r is familiar with the terms of this section and will com	nply with those t	erms; and					
	The new chemica	al substance for which the notice is submitted meets	all applicable ex	emption conditions.					
		is for an LVE in accordance with 40 CFR 723.50(c)(1) ostance for commercial purposes within 1 year of the							
					Confidential				
Authorized (	ature and title of orized Official (Original ature Required)  ES/Richard Henrich  Date 08/24/2017								



Part I GENERAL INFORMATION Section A – SUBMITTER IDENTIFICATION													
Secu	ON P				ial" box nex	kt to anv	subsection you clair	n as co	nfidential				
1a.		Person Submitti	ng Notic	e (in U.S						Confidential			
Name	of Au	uthorized Official	(first) Ric	hard			(last) Henrich	1					
Positio	on		Not App										
Compa	any		СНЕМТ	URA COR	PORATION	1							
Mailing	g Add	dress (number & street)	РО ВОХ	( 2200									
City		WEST LAFAYETTE			State	IN	Postal Code	479	96-2200				
email		richard.henrich@chen											
b.		Agent (if Applica					4 0			Confidential			
Name	of Au	uthorized Official	(first)				(last)						
Positio	on												
Compa	any												
Mailing	g Add	dress (number & street)											
City					State		Postal Code						
e-mail						Telepho (include	one e area code)						
C.		Joint Submitter	er (if applicable)										
If you	are s	ubmitting this notice as	part of a jo	int submiss	sion, mark (	(X)							
Name	of Au	uthorized Official	(first)	tt) (last)									
Positio	on												
Compa	any												
Mailing	g Add	dress (number & street)											
City					State		Postal Code						
e-mail						Telep (inclu	hone de area code)						
2.		Technical Conta	ct (in U.S	3.)						Confidential			
	of Au	uthorized Official	(first) Ric				<sup>(last)</sup> Henrich						
Positio	on				egulatory (	Complian							
Compa	any		LANXES	SS Solution	ns US Inc.	-				1 _			
Mailing	g Add	dress (number & street)	3000 Ke	nt Ave. Su	ite D1-113					<b> </b>			
City		West Lafayette			State	IN	Postal Code	479	06				
e-mail		richard.henrich@chen	ntura.com		·I	Telepho	one e area code)	765	2373394				
	If yo	ou have had a prenotice		ation (PC)	concerning		e area code)		Mark (X) if none	Confidential			
3.		notice and EPA assign er the number.	ed a PC Nu	ımber to th	e notice,				X				
		ou previously submitted							Mark (X) if none	Confidential			
4.	chemical substance covered by this notice, enter the exemption number assigned by EPA. If you previously submitted a PMN for this substance enter the PMN number								X				
	assigned by EPA (i.e. withdrawn or incomplete).  If you have submitted a notice of Bona fide intent to								Mark (X) if none	Confidential			
5.	mar	nufacture or import for the his notice, enter the not	ne chemica	l substanc	e covered				X				
6.					Туре	of Notio	ce – Mark (X)						
	Mar	nufacture Only			port Only		X						
1.	Bind	ding Option	$\neg$	2. Bir	nding Optio	n	$\Box$	3.	Both				



	Part I – GENERAI	L INFORM	ATION Co	ontinued			
Section B - CHEMICAL IDI				ect Chemical Abstr clature rules and o		of the sul	ostance
	Mark (X) the "Confidential" b						
Complete either item 1 (Class	s 1 or 2 substances) or 2 (Polymers	s) as appropri	ate. Complete a	all other items.			
the name, company, and ad-	chemical identity information for you dress of that person in a continuatio	n sheet.	em 1 or 2), mar	k (X) the box at th	e right. Identify		
<ol> <li>Class 1 or 2 chemical su 2 substances, see the In:</li> </ol>	bstances (for definitions of class 1 a structions Manual)	and class	Class 1		Class 2		СВІ
a. Class of substance - Mai	·k (X)				X		
b. Chemical name (Current substances. For Class 1	ly correct Chemical Abstracts (CA) substances a CA Index Name must provided, which ever is appropriate	be provided.	For Class 2 sub	bstances either a	CA Index Name	or CA	
	a number already exists for the sub		1454803-0				
	thod you used to develop or obtain	the specified	chemical identit	ty information repo		ce: (check	one).
Identification report obtai	y Expert Service - a copy of the ned from the CAS Inventory Expert ted as an attachment to this notice)	X	IES Order Number	362002	Method 2 (Other Source)		
Enter Attachment filename	for Part I, Section B, 1. c.		Original Docun	nent: 2 MLA-3202	CAS Number.pe	df	
d. Molecular formula	C20H39NO3 to C26H51NC	)3					
	provide a complete and correct che chemical structure diagram, as com					rrect	
See Attachment (Original Do	ocument: 1 MLA-3202 REACh Struc						
Enter Attachment filename	for Part I. Section B. 1. e.						1 1





PMN Page 4a

For a class 2 substance - (1) List the immediate precursor substances with the nature of the reaction or process. (3) Indicate the range of composition	th their respective CAS Registry Numbers. (2) Describe n and the typical composition (where appropriate).	Confidential
e. (1) List the immediate precursor substance names with their respectiv	e CAS Registry Numbers.	X
xxx		<del></del>
	1	
Enter Attachment filename for Part I, Section B, 1. e. (1)		
e. (2) Describe the nature of the reaction or process.		X
XXX		
Enter Attachment filename for Part I, Section B, 1. e. (2)		
e. (3) Indicate the range of composition and the typical composition (whe	ure annongiate)	X
XXX	пе арргорпаю).	Δ
Enter Attachment filename for Part I, Section B, 1. e. (3)	Sanitized Document: 3 CA02 MI A 3202 Work-I In - S	X



	N Page	6		SANITIZED SU	BMISSION
Part I GENERAL INF			Continued		
Section B CHEMICAL IDENTITY INFORMATION Co					
Impurities     (a) - Identify each impurity that may be reasonably anticipated to purpose. Provide the CAS Registry Number if available. If the (b) - Estimate the maximum weight % of each impurity. If there a	nere are unio	dentified impu	urities, enter "unidenti	fied."	rcial
Impurity (a)		·	CAS Regist Number (a)		Confi- dential
2-Propanol, 1,1'-iminobis-			110-97-4	0.499	
Methanol, sodium salt (1:1)			124-41-4	2.0E-4	
Mark (X) this box if the data continues on the next page.					
Enter Attachment filename for Part I, Section B, 3.					
<ol> <li>Synonyms - Enter any chemical synonyms for the new chemical ident Bis-(2-hydroxypropyl) Tallowamide, Ethoxylated Tallow Amide,</li> </ol>	tified in subs	section 1 or 2			
Enter Attachment filename for Part I, Section B, 4.					
5. Trade identification - List trade names for the new chemical substance MLA-3202, Naugalube® OFM 3202,	e identified i	n subsection	1 or 2.		
Enter Attachment filename for Part I, Section B, 5.					
<ol> <li>Generic chemical name - If you claim chemical identify as confidential specific chemical identity of the new chemical Substance Inventory, 1985 Edition, Appendix</li> </ol>	al substance	to the maxin	num extent possible.	Refer to the TSCA Ch	
Enter Attachment filename for Part I, Section B, 6.					
<ol> <li>Byproducts - Describe any byproducts resulting from the manufacture CAS Registry Number if available.</li> </ol>	e, processin	g, use, or disp	oosal of the new cher	nical substance. Prov	vide the
Byproduct (1)			CA	S Registry Number (2)	Confi- dential

Mark (X) this box if the data continues on the next page.



12017P5X1 PMN Page 5

			I GENERAL I		ATION –	Con	tinued				
			TY INFORMATION		ed					T =	
			see the Instructions Manu of the lowest molecular we		tion of the se	lymory	ou intend to	manufactu	ro	Confider	ntial
Indicate maximun	n weight pe	ercent of lo	ow molecular weight spec molecular weight of that c	cies (not inclu							
		Des	cribe the methods of mea	surement or t	he basis for y	our es	imates:				
GPC		Other	(Specify Below)								
Specify Other:											
(i) lowest number a weig	-	lecular	(ii) maximum weight	% below 500 eight:	molecular	(iii	) maximum w	eight % be weight		00 molecu	lar
				1							
			I, Section B, 2. a.  / claims for monomer or c	. ()	Tales de la compa						ll -
manufacture (2) - Mark (X) this (3) - Indicate the (4) - Choose "yes the polymer (5) - Mark (X) this (6) - Indicate the manufacture	e of the poly s column if typical weight of from drop description s column if maximum and for comm	ymer. entry in co ght percer o down me o on the TS entries in weight per nercial pur		her reactant in er or other rea e Inventory. confidential.	n the polymer actant used a	·. t two w	eight percent	or less to	be liste	d as part c	of
			olumn (6) is confidential.				Typical	Include in		Max	
Monomer or other reactant specific chemical name (1)						CBI ( <b>2</b> )	composition (3)	identity (4)	CBI ( <b>5</b> )	residual (6)	CBI ( <b>7</b> )
	egistry Num										
CAS Re	egistry Num	nber ( <b>1</b> )									
CAS Re	egistry Num	nber (1)									
<b>ΓΔ</b> ς <b>Β</b> ς	egistry Num	nher (1)									
CAS RE	zyisiiy ivum	ibei (I)									
		ī									
CAS Re	egistry Num	nber ( <b>1</b> )									

Mark (X) this box if the data continues on the next page.



PMN Page 5a

<ul> <li>c. Please identify which method you used to develop or obtain (check one).</li> </ul>	n the specified cher	nical identity information reported in this notice	CBI
Method 1 (CAS Inventory Expert Service			
- a copy of the identification report obtained from CAS Inventory Expert Service must be	IES Order Number	Method 2 (other source)	
submitted as an attachment to this notice)		(euler eedlee)	
Enter Attachment filename for Part I, Section B, 2. c.			
<ul> <li>d. The currently correct Chemical Abstracts (CA) name for the polymers.</li> </ul>	e polymer that is co	onsistent with TSCA Inventory listings for similar	
polymore.			
	<u> </u>		
CAS Registry Number (if a number already exists for the			
<ul> <li>Provide a correct representative or partial chemical struct ascertained.</li> </ul>	ure diagram, as cor	nplete as can be known, if one can be reasonably	
about amou.			
Enter Attachment filename for Part I. Section B. 2	<u>a</u>		



PMN2017P7 PMN Page 7												
Part I GI	ENER	RAL INI	FORM	ATIO	N Co	ntin	ued					
Section C PRODUCTION, IMPORT, AND	USE	INFORM	MATION									
The information on this page refers to consolidated	chemic	cal numbe	er(s):	X 1	2		3	<b>4</b>		5	6	
Mark (X) the "Cor	nfidentia	al" box ne	xt to any	item y	ou claim a	as conf	identia	<u></u>				
<ol> <li>Production volume Estimate the maximum production volume for any consecutive 12-month period durin For a Low Volume Exemption application, if you cholume and mark (x) in the binding box. If granted,</li> </ol>	g the firs	st three ye have you	ars of prod r notice re	duction. viewed a	Estimates .	should	be on 1	00% ne	w chem	ical sul	bstance	basis.
Maximum first 12-month production (kg/yr) (100% new chemical substance basis)					ction (kg/yr ance basis		С	onfident	tial		ding Opti Mark (X)	
XXX	XXX	,						X				
Enter Attachment filename for Part I, Section C	;, 1.									СВІ		
<ul> <li>2. Use Information You must make separate confidentiality claims for the description of the category of use, the percent of production volume devoted to each category, the formulation of the new substance, and other use information. Mark (X) the "Confidential" Box next to any item you claim as confidential.</li> <li>a. (1)Describe each intended category of use of the new chemical substance by function and application.</li> <li>(2)Mark (X) this column if entry column (1) is confidential business information (CBI).</li> <li>(3)Indicate your willingness to have the information provided in column (1) binding.</li> <li>(4)Estimate the percent of total production for the first three years devoted to each category of use.</li> <li>(5)Mark (X) this column if entry in column (4) is confidential business information (CBI).</li> <li>(6)Estimate the percent of the new substance as formulated in mixtures, suspensions, emulsions, or gels as manufactured for commercial purposes at sites under your control associated with each category of use.</li> <li>(7)Mark (X) this column if entry in column (6) is confidential business information (CBI).</li> <li>(8)Indicate % of product volume expected for the listed "use" sectors. Mark more than one box if appropriate. Mark (X) to indicate your willingness to have the use type provided in (8) binding.</li> <li>(9)Mark (X) this column if entry(ies) in column (8) is (are) confidential business information (CBI).</li> </ul>												
Category of use (1) (by function and application i.e. a dispersive dye for								СВІ				
finishing polyester fibers)	(2)	Mark (X) (3)	% ( <b>4</b> )	(5)	ulation ( <b>6</b> )	(7)	Site- limited	Con- sumer*	Industrial	Com- mercial	Binding Option	(9)
Friction Modifier for Motor Oil lubricants.			100.0		3.0		0.0	0.0	50.0	50.0		
* If you have identified a "consumer" use, please pro- consumer products. In addition include estimates of t the chemical reactions by which this substance loses	he conc	entration o	of the new	chemica	al substand							
Mark (X) this box if the data continues on the next page		,										
b. Generic use If you claim any category description Read the Instruction Mar						ntial, er	nter a ge	eneric d	escriptio	on of the	at categ	ory.
Enter Attachment filename for Part I, Section	C, 2. b.								СВ	SI.		
3. Hazard Information Include in the notice a copy of data sheet, or other information which will be provide regarding protective equipment or practices for the sa hazard information you include.	of reasored to any afe hand	person wl	ho is reaso	onably li	kely to be	expose	d to this	substa	ial safet nce	у	Binding Mark	
Mark (X) this box if you attach hazard information	aliOH.						IXI				- 1	1



17P8 PMN Page 8

Part II HUMAN EXPOSURE AND ENVIRONMENTAL RELEASE												
Section A INDUSTRIAL	SITES CO	ONTROLLED BY THE S	SUBM	IITTER	2				e "Confid u claim a			
The information on pages 8 and					1 [	2	3		4	5		<b>]</b> 6
Complete section A for each tyou control. Importers do not be requirements if there are furth introductions manual	nave to com	nplete this section for opera	ations	outside	the U.	S.; howev	er, you	u may	still hav	e repoi	ting e	
Operation description     a. Identity Enter the identity -	entity of the	site at which the operation	n will c	ccur.								Confi- dential
Name	·	•										
Site address (number and street)												
City				County								
State		ZIP code										
If the same operation will occu sites on a continuation sheet, operations, include all the info	and if any o	of the sites have significant	ly diffe	erent pr	oductio	n rates or	•					
Mark (X) this box if the	data continue	es on the next page.										
b. Type Mark (X) Manu	ufacturing	Processin	ng			Us	se					
c. Amount and Duration	Complete	e 1 or 2 as appropriate										Confi- dential
1. Batch		Maximum kg/batch (100% new chemical substance)		Hours/batch Batches/year				es/year	_			
		MacCassas Laddas										
2. Continuous	2. Continuous  Maximum k (100% new chemic				Hours/day Days/year				_			
d. Process description						cate your v ess descrip						
pails, 55 gallon drum (2) Provide the identity, t materials and feedsto chemicals (note frequ (3) Identify by number th	, rail car, tand the approximocks (includinuency if not use sency if not use points of re	steps and chemical conversion k truck, etc.). ate weight (by kg/day or kg/bang reactants, solvents, catalys used daily or per batch.). elease, including small or internet step, assign a second relea	atch on ts, etc.)	a 100% ), and of release	new che all prod s, to the	emical sub ucts, recyc	stance le strea	basis) ams, a	, and ent	ry point o	of all e cle	starting aning
		, , <u>, , , , , , , , , , , , , , , , , </u>										



Diagram of the major unit eneration stone				
Diagram of the major unit operation steps.				
Enter Attachment filename for Part II, Section A, 1. d.				



			PMN F	Page 9					SANITIZED	SUBMISSIO	ON
Pa	art II	HUMAN EXPOSURE A			AL REL	EAS	SE Co	ntin	ued		
Section A INDUST	RIAL	. SITES CONTROLLED B	Y THE S	UBMITTER	Cont	nue	d				
The information on pages	9 and	d 9a refer to consolidated chem	nical num	ber(s):	1	2	3		4	5	6
substance, number of wo (1) Describe the adsubstance. (2) Mark (X) this composed (3) Describe any population (4) and (6) Indicate you (5) Indicate the part of a mixture (7) Mark (X) this composed (3) Estimate the moment (9) Mark (X) this composed (10) and (11) Estimate	rkers ctivitie clumn rotect rour w ysical e) at t lumn aximu clumn te the	u must make separate confidenti- exposed, and duration of activity. es (i.e. bag dumping, tote filling, u if entry in column (1) is confiden- tive equipment and engineering c villingness to have the information form(s) of the new chemical sub- the time of exposure. if entries in columns (3) and (5) a um number of workers involved in if entry in column (8) is confiden- e maximum duration of the activity if entries in columns (10) and (1)	Mark (X) nloading ditial busine ontrols use provided stance (e.g. re confide each activitial busines for any w	the "Confidential rums, sampling as information (ed to protect wo in column (3) og., solid: crystal antial business in vity for all sites as information (orker in hours process in the same as information (orker in hours process in the same as information (orker in hours process in the same as information (orker in hours process in the same as information (orker in hours process in the same as information (orker in hours process in the same as information (orker in hours process in the same as in	al" box neg g, cleaning (CBI). orkers. r (5) bindir , granule, nformation combined (CBI). per day an	t to a , etc. ng. powd (CBI	er, or dust	ou cla worke	im as confiders may be e	ential. xposed to the	e
Worker activity	Julili	Protective Equipment/	Binding	Physical	Binding	lion (	# of		Mavimum	Duration	0.01
(i.e., bag dumping, filling drums)	СВІ	Engineering Controls	Option Mark (X)	form(s) & % new	Option Mark (X)	СВІ	Workers Exposed	СВІ	Hrs/Day	Duration Days/Yr	(12)
(1)	(2)	(3)	(4)	substance (5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)

 $\label{eq:mark} \text{Mark (X) this box if the data continues on the next page.}$ 

Enter Attachment filename for Part II, Section A on the bottom of page 9a.



PMN2017P9A

## PMN Page 9a

- 3. Environmental Release and Disposal -- You must make separate confidentiality claims for the release number and the amount of the new chemical substance released and other release and disposal information. Mark (X) the "Confidential" box next to each item you claim as confidential.
  - (1) -- Enter the number of each release point identified in the process description, part II, section A, subsection 1d(3).
  - (2) -- Estimate the amount of the new substance released (a) directly to the environment or (b) into control technology (in kg/day or kg/batch).
  - 3) -- Mark (X) this column if entries in columns (1) and (2) are confidential business information (CBI).
  - (4) -- Identify the media (stack air, fugitive air (optional-see Instruction Manual), surface water, on-sité or off-site land or incineration, POTW, or other (specify)) to which the new substance will be released from that release point.
  - (5) -- a. Describe control technology, if any, and control efficiency that will be used to limit the release of the new substance to the environment. For releases disposed of on land, characterize the disposal method and state whether it is approved for disposal of RCRA hazardous waste. On a continuation sheet, for each site describe any additional disposal methods that will be used and whether the waste is subject to secondary or tertiary on-site treatment. b. Estimate the amount released to the environment after control technology (in kg/day).
  - (6) -- Mark (X) this column if entries in columns (4) and (5) are confidential business information (CBI).
  - (7) -- Identify the destination(s) of releases to water. Please supply NPDES (National Pollutant Discharge Elimination System) numbers for direct discharges or NPDES numbers of the POTW (Publicly Owned Treatment Works). Mark (X) if the POTW name or NPDES # is confidential business information (CBI).

Release Number	Amount Substance		СВІ	Medium of release e.g. Stack air	Control technolog optional	Control technology and efficiency (you may wish to optionally attach efficiency data)				
(1)	(2a)	(2b)	(3)	(4)	(5a)		Binding Mark (X)	(5b)	(6)	
				on the next page.						
<b>(7)</b> Mark			of releas	ses to water.			NPDES	S#	CBI	
	POTWpro name(s)	vide								
	Navigable v - provide na	waterway- ame(s)								
	OtherSpe	cify								
	Enter Attachm	ent filename	for Part II,	Section A.						



Part II HUMAN EXPOSURE AND ENVIRO		TAL DE	LEAC	F C-	mtim	a al		
Section B INDUSTRIAL SITES CONTROLLED BY OTHERS	INIVIENI	AL KE	LEASI	<u> </u>	ntinu	eu		
The information on pages 10 and 10a refer to consolidated chemical number(	(s): X	1	2		3	4	5	6
Complete section B for typical processing or use operations involving the new cher complete this section for operations outside the U.S.; however, you must report any Complete a separate section B for each type of processing, or use operation involvement than one site describe the typical operation common to these sites. Identify a	y process ving the n	sing or us <i>ew chem</i>	e activiti ical subs	es after stance. I	import. f the sa	See the	Instruction	s Manual.
1(a). Operation Description To claim information in this section as confid						mation	that you cl	aim as
<ul> <li>confidential.</li> <li>(1) Diagram the major unit operation steps and chemical conversions, inc pails, 55 gallon drums, rail cars, tank trucks, etc). On the diagram, idel</li> <li>(2) Either in the diagram or in the text field 1(b) below, provide the identity chemical substance basis), and entry point of all feedstocks (including streams, and wastes. Include cleaning chemicals (note frequency if note in the diagram or in the text field 1(b) below, identify by number environment of the new chemical substance.</li> <li>(4) Please enter the # of sites (remember to identify the locations of these</li> </ul>	ntify by le v, the app v reactants ot used da the point	etter and I roximate s, solvent aily or per s of relea	oriefly de weight ( ts and ca batch). ase, inclu	escribe e by kg/da atalysts, iding sm	ach wo ay or kg etc) an	rker acti /batch, c d all prod	vity. on an 100% ducts, recy	6 new cle
	Nu	ımber of	Sites	2		Cor	nfidential	
See Attachment (Sanitized Document: 37 Process Flow Diagram for )								
1(b). (Optional) This space is for a text description to clarify the diagram above.						Cor	nfidential	X
XXX								
Enter Attachment filename for Part II, Section B on the bottom of page 10a.	Sanitized	Documer	nt: 37 Pro	ocess F	ow Dia	gram for		X

SANITIZED SUBMISSION



<b>ID</b> P10SB1(a)(4)1	Field Part II, Section B, 1(a)(4). Operation Site Locations
1103B1(a)(4)1	rait II, Section D, T(a)(4). Operation Site Locations
SHELL OIL COMPANY	
910 LOUISIANA ST	
HOUSTON, TX 77002	



### N2017P10A PMN Page 10a

#### 2. Worker Exposure/Environmental Release

- (1) -- From the diagram above, provide the letter for each worker activity. Complete 2-8 for each worker activity described.
- (2) -- Estimate the number of workers exposed for all sites combined.
- (4) -- Estimate the typical duration of exposure per worker in (a) hours per day and (b) days per year.
- (6) -- Describe physical form of exposure and % new chemical substance (if in mixture), and any protective equipment and engineering controls, if any, used to protect workers.
- (7) -- Estimate the percent of the new substance as formulated when packaged or used as a final product.
- (9) -- From the process diagram above, enter the number of each release point. Complete 9-13 for each release point identified.
- (10) -- Estimate the amount of the new substance released (a) directly to the environment or (b) into control technology to the environment (in kg/day or kg/batch).
- (12) -- Describe media of release i.e. stack air, fugitive air (optional-see Instructions Manual), surface water, on-site or off-site land or incineration, POTW, or other (specify) and control technology, if any, that will be used to limit the release of the new substance to the environment.
- (14) -- Identify byproducts which may result from the operation.
  - (3), (5), (8), (11), (13) and (15) -- Mark (X) this column if any of the proceeding entries are confidential business information (CBI).

Letter of Activity	# of Workers Exposed	СВІ		ion of osure	СВІ	Protect	ive Equip./Engineering Controls/Physical Form	% new substance	% in Formulation	СВІ	
(1)	(2)	(3)	(4a)	(4b)	(5)		(6)	(6)	(7)	(8)	
А	2		8	180		See conti	nuation page. id: <p10asb2(6)c1r1></p10asb2(6)c1r1>	100	3		
Release Number			Substan	ice Releas	sed	СВІ	Media of Release & Contro	l Technology		(13)	
(9)	(10	)a)		(10b)		(11)	(12)	(12)			
1	None Anticipated None Anticipated				-1-1		On-site Incineration Hood Vapor recovery to filtration and caustic scrubber possibly				
	None Am	icipated	No	one Anticip	ated		Hood Vapor recovery to filtration and caustic	scrubber possi	bly		
	None Am	icipated	No	one Anticip	pated		Hood Vapor recovery to filtration and caustic	scrubber possi	bly		
	None All	icipated	No	one Anticip	pated		Hood Vapor recovery to filtration and caustic	scrubber possi	bly		
	Notice All	icipated	No	one Anticip	pated		Hood Vapor recovery to filtration and caustic	scrubber possi	bly		
	None All	icipated	No	one Anticip	pated		Hood Vapor recovery to filtration and caustic	scrubber possi	bly		
	Notice All	icipated	No	one Anticip	pated		Hood Vapor recovery to filtration and caustic	scrubber possi	bly		
	Notice All	icipated	No	one Anticip	pated		Hood Vapor recovery to filtration and caustic	scrubber possi	bly		
	Mark (X) this					xt page.	Hood Vapor recovery to filtration and caustic	scrubber possi	bly		
(14) Byp	Mark (X) this					xt page.	Hood Vapor recovery to filtration and caustic	scrubber possi	(15) CBI		



ID P10ASB2(6)C1R1	Field	Part II, Section B, 2.(6) Protective Equip./Eng. Controls, etc., Row 1
Mostly in closed system. Any sporadic exposure	would be t	o skin, but gloves are recommended. I lauid
,		,g



PININZUT/PTOXT PINN Page						-
Part II HUMAN EXPOSURE AND ENVIRO	ONMENTA	L RELEASI	= – Conti	nued		
Section B INDUSTRIAL SITES CONTROLLED BY OTHERS						
The information on pages 10 and 10a refer to consolidated chemical numbe Complete section B for typical processing or use operations involving the new che complete this section for operations outside the U.S.; however, you must report at Complete a separate section B for each type of processing, or use operation invo	emical substa	nce at sites you	es after impo	ort. See th	e Instruction	s Manual.
more than one site describe the typical operation common to these sites. Identify <b>1(a).</b> Operation Description To claim information in this section as confidential.	additional site	es on a continu	ation sheet.	-		
<ul> <li>(1) Diagram the major unit operation steps and chemical conversions, in pails, 55 gallon drums, rail cars, tank trucks, etc). On the diagram, identification of the diagram or in the text field 1(b) below, provide the identification chemical substance basis), and entry point of all feedstocks (including streams, and wastes. Include cleaning chemicals (note frequency if resulting times in the diagram or in the text field 1(b) below, identify by number environment of the new chemical substance.</li> <li>(4) Please enter the # of sites (remember to identify the locations of these contents).</li> </ul>	lentify by lette ity, the approxing reactants, so not used daily er the points of the second	r and briefly de kimate weight ( solvents and ca or per batch). If release, inclu	escribe each by kg/day or atalysts, etc) ading small c	worker ac kg/batch, and all pr	tivity. on an 100% oducts, recy	new cle
	Num	ber of Sites	2	Co	onfidential	
See Attachment (Sanitized Document: 38 Process Flow Diagram for )						
<b>1(b).</b> (Optional) This space is for a text description to clarify the diagram above.				Co	onfidential	X
XXX						
Enter Attachment filename for Part II, Section B on the bottom of page 10a.	Sanitized Do	cument: 38 Pro	ocess Flow	Diagram fo	or	X



PIOSB (a)(4)2   Field   Part II, Section B, 1(a)(4), Operation Site Locations		Continuation Sheet
3499 BLAZER PKWY	<b>ID</b> P10SB1(a)(4)2	Field Part II, Section B, 1(a)(4). Operation Site Locations
3499 BLAZER PKWY		
LEXINSTON, KY 40509		
	LEXINGTON, KY 40509	



PMN2017P10AX1

## PMN Page 10a

#### 2. Worker Exposure/Environmental Release

- (1) -- From the diagram above, provide the letter for each worker activity. Complete 2-8 for each worker activity described.
- (2) -- Estimate the number of workers exposed for all sites combined.
- (4) -- Estimate the typical duration of exposure per worker in (a) hours per day and (b) days per year.
- (6) -- Describe physical form of exposure and % new chemical substance (if in mixture), and any protective equipment and engineering controls, if any, used to protect workers.
- (7) -- Estimate the percent of the new substance as formulated when packaged or used as a final product.
- (9) -- From the process diagram above, enter the number of each release point. Complete 9-13 for each release point identified.
- (10) -- Estimate the amount of the new substance released (a) directly to the environment or (b) into control technology to the environment (in kg/day or kg/batch).
- (12) -- Describe media of release i.e. stack air, fugitive air (optional-see Instructions Manual), surface water, on-site or off-site land or incineration, POTW, or other (specify) and control technology, if any, that will be used to limit the release of the new substance to the environment.
- (14) -- Identify byproducts which may result from the operation.
  - (3), (5), (8), (11), (13) and (15) -- Mark (X) this column if any of the proceeding entries are confidential business information (CBI).

Letter of Activity	# of Workers Exposed	СВІ	Durat Expo	ion of osure	СВІ	Protect	ive Equip./Engineering Controls/Physical Form	% new substance	% in Formulation	СВІ	
(1)	(2)	(3)	(4a)	(4b)	(5)		(6)	(6)	(7)	(8)	
В	2		8	180		See conti	nuation page. id: <p10asb2(6)c2r1></p10asb2(6)c2r1>	100	3		
Release Number			Substan	ice Releas	sed	CBI Media of Release & Control Technology			(13)		
(9)	(10	)a)		(10b)		(11)	(12)				
	None Anticipated None Anticipated									, ,	
2	None An		No		ated		On-site Incineration Hood Vapor recovery to filtration and caustic	scrubber possi	bly		
2	None Ant		No		oated		On-site Incineration	scrubber possi	bly		
2	None Ant		No		pated		On-site Incineration	scrubber possi	bly		
2	None And		No		pated		On-site Incineration	scrubber possi	bly		
2	None And		No		pated		On-site Incineration	scrubber possi	bly		
2	None Ant		No		pated		On-site Incineration	scrubber possi	bly		
2	None And		No		pated		On-site Incineration	scrubber possi	bly		
	None And	ticipated		one Anticip		xt page.	On-site Incineration	scrubber possi	bly		
	Mark (X) this	ticipated		one Anticip		xt page.	On-site Incineration	e scrubber possi	(15) CBI		



ID P10ASB2(6)C2R1	Field	Part II, Section B, 2.(6) Protective Equip./Eng. Controls, etc., Row 1
Mostly in closed system. Any sporadic exposure		
,		, <del>.</del>

SANITIZED SUBMISSION

## OPTIONAL POLLUTION PREVENTION INFORMATION

To claim information in the following section as confidential, bracket (e.g. {}) the specific information that you claim as confidential.

In this section you may provide information not reported elsewhere in this form regarding your efforts to reduce or minimize potential risks associated with activities surrounding manufacturing, processing, use and disposal of the PMN substance. Please include new information pertinent to pollution prevention, including source reduction, recycling activities and safer processes or products available due to the new chemical substance. Source reduction includes the reduction in the amount or toxicity of chemical wastes by technological modification, process and procedure modification, product reformulation, and/or raw materials substitution. Recycling refers to the reclamation of useful chemical components from wastes that would otherwise be treated or released as air emissions or water discharges, or land disposal. Quantitative or qualitative descriptions of pollution prevention, source reduction and recycling should emphasize potential risk reduction in addition to compliance with existing regulatory requirements. The EPA is interested in the information to assess overall net reductions in toxicity or environmental releases and exposures, not the shifting of risks to other media (e.g., air to water) or nonenvironmental areas (e.g., occupational or consumer exposure). To the extent known, information about the technology being replaced will assist EPA in its relative risk determination. In addition, information on the relative cost or performance characteristics of the PMN substance to potential alternatives may be provided.

Describe the expected net benefits, such as

- (1) an overall reduction in risk to human health or the environment:
- (2) a reduction in the generation of waste materials through recycling, source reduction or other means;
- (3) a reduction in the use of hazardous starting materials, reagents, or feedstocks;
- (4) a reduction in potential toxicity, human exposure and/or environmental release; or
- (5) the extent to which the new chemical substance may be a substitute for an existing substance that poses a greater overall risk to human health or the environment.

Information provided in this section will be taken into consideration during the review of this substance. See PMN Instructions Manual and Pollution Prevention Guidance manual for guidance and examples.

The customer will transfer additive fluid from a drum at room temperature by using a pump or applied vacuum to a suitable wand inserted into the drum to pull out the additive as required (figure attached). By using this method as the drum is near empty it can be tilted to remove much more of the additive leaving virtually no heel at the bottom and only material that has wetted the sides of the drum.

The empty drums must be handled appropriately in-line with legal requirements. Options include washing with a suitable minimum amount of the standard drum cleaning solvent system and the rinse disposed of as hazardous material by incineration, kept by the customer for their own additional uses possibly to contain the finished product fully blended motor oil, shredding and disposal in a secure hazardous waste landfill, or once clean the drums are crushed and disposed of by sending to a recycled facility as metal waste.

For bulk liquid containers (i.e. tank trailers) a pump or nitrogen pressure is used to empty the bulk liquid containers. The containers are then cleaned at an approved wash terminal and the wash liquid disposed of as a hazardous waste.

A Diagram of potential setup- for process of additizing our MLA-3202 friction modifier to blending tank formulating a final customer passenger car motor oil is represented in the attached document.

It is expected that nearly all of the notified substance will be blended into passenger vehicle motor oils in contained industrial facilities.

Occupational exposure may occur during blending activities; however, this exposure is expected to be minimized using engineering controls and personal protective equipment.

Occupational exposure to the motor oils containing the notified substance is expected to include workers who manufacture passenger vehicles (i.e. OEMs), and those who change motor oils in commercial automotive repair facilities (i.e. Mr. Lube, Canadian Tire, etc.). Exposure in occupational settings is expected to be minimized using personal protective equipment and engineering controls.

Finished motor oils are expected to be available to the consumer through retail establishments; however, these products are not intended to be used on a frequent basis. It is estimated that the frequency of do-it-yourself (DIY) oil changes would be 2-3 times per year, and these DIY activities would not be conducted by significant portion of the population. Public exposure to the notified substance is expected to be negligible. Consumers will not be expected to handle the neat product.

Disposal of the final formulated lubricant must be carried out according to best practice for motor oil, for example:

'Many municipal recycling centers have used-oil disposal stations. Utilize a designated oil-disposal facility to avoid incorrect -- and in most cases illegal -- disposal methods. Never dispose of used motor oil in the trash, down household drains, into storm drains or directly onto soil. Inspecting equipment and vehicles regularly and immediately repairing items that appear to be leaking oil is another way to prevent pollution from used

http://www.fwpcoa.org/content.aspx?page\_id=2507&club\_id=859275&item\_id=1105&pst=3324

Products containing the notified substance are expected to be blended in contained industrial facilities. Any waste material, including that from an accidental spill, is expected to be collected for recycling or disposal by an approved waste management company.

The notified substance may be used in commercial applications in facilities that are expected to be fully contained. Any waste material, including that from an accidental spill, is expected to be collected for recycling or disposal by an approved waste management company.

Consumers are encouraged to dispose of spent oils and lubricants through local municipal hazardous waste programs; however, it is possible that products containing the notified substance (including residue in containers) may be released to land via disposal in regular household waste or in the event of an accidental spill. Consumers will not be expected to handle the neat product.

Additionally, the notified substance is inherently biodegradable.

Significant release to the environment is not expected when recommended practices are followed.

Enter Attachment filename for Pollution Prevention Page 11.

Sanitized Document: 6 Process Flow Diagram for ...

Χ



### **Part III -- LIST OF ATTACHMENTS**

Attach continuation sheets for sections of the form, test data and other data (including physical/chemical properties and structure/activity information), and optional information after this page. Clearly identify the attachment and the section of the form to which it relates, if appropriate. Number consecutively the pages of any paper attachments. In the Number of Pages column below, enter the inclusive page numbers of each attachment for paper submissions or enter the total number of pages for each attachment for electronic submissions. Electronic attachments can be identified by filename.

Mark (X) the "Confidential" box next to any attachment name or filename you claim as confidential. Read the Instructions Manual for guidance on how to claim any information in an attachment as confidential. You must include with the sanitized copy of the

notice form a sanitized version of any attachment in which you claim information as confidential.

#	Attachment Name	Attachment Filename	Number of Pages	Associated PMN Section Number	СВІ
1	US GHS Safety Data Sheet for MLA-3202	MLA-3202 US GHS SDS 10 Jul 2017.pdf	12	Hazard Information Section (Amides, tallow, N,N-bis(2-hydroxypropyl))	
2	GHS Label for MLA-3202	MLA-3202 US Label 10 Jul 2017.pdf	1	Hazard Information Section (Amides, tallow, N,N-bis(2-hydroxypropyl))	
3	Structure Summary for UVCB Substance	MLA-3202 REACh Structure.pdf	1	Class 1 or 2 Substances Chemical Structure Diagram (Amides, tallow,	
4	IES Report	MLA-3202 CAS Number.pdf	2	Class 1 or 2 Substances ID Method (Amides, tallow, N,N-bis(2-	
5	Analytical Work-up for CAS 1454803-04-3	CA02 MLA 3202 Work-Up - Sanitized.xlsx	4	B.1.e.3. Range of Composition (Amides, tallow, N,N-bis(2-	
6	Process Flow Diagram	Process Flow Diagram for additising a lubricant using MLA-	1	Industrial Sites Controlled By Others (Shell Oil Company)	
7	Process Flow Diagram	Process Flow Diagram for additising a lubricant using MLA-	1	Industrial Sites Controlled By Others (Valvoline International)	
8	MLA-3202 Mass Spectrometry Report	Mass Spectrometry Analysis - SANITIZED.pdf	38	Additional Attachments	
9	MLA-3202 UV-Vis Spectroscopy Report	UV-Vis Analysis - SANITIZED.pdf	5	Additional Attachments	
10	MLA-3202 C13-MNR Report	13C NMR Analysis - SANITIZED.pdf	5	Additional Attachments	
11	MLA-3202 FTIR Report	FTIR Analysis - SANITIZED.pdf	6	Additional Attachments	
12	MLA-3202 H NMR Report	H NMR Analysis -	5	Additional Attachments	
13	Phys-Chem Testing Report for MLA-3202	207258_511869_Chemtura_Phy sChempdf	43	Additional Attachments	
14	MLA-3202 Phys-Chem property report: Analytical method, Water Solubility and Partition Coefficient	MLA-3202 Analytical Method Water Solubility Partition	32	Additional Attachments	
15	Adsorption/Desorption and Hydrolysis report.	207258_	38	Additional Attachments	
16	Repeated Dose 28-Day Oral Toxicity Study with MLA-3202 by Daily Gavage in the Rat (OECD	MLA-3202 28 Day Oral Rat CR 207258_514867.pdf	176	Additional Attachments	
17	Assessment of Acute Dermal Toxicity with MLA-3202 in the Rat (OECD 402)	MLA-3202 Acute Dermal Rat CR 207258_ 511877.pdf	18	Additional Attachments	
18	Acute Eye Irritation/Corrosion Study with MLA- 3202 in the Rabbit (OECD 405)	MLA-3202 Acute Eye Irritation Rabbit OECD 405 CR	16	Additional Attachments	
19	Evaluation of the Eye Hazard Potential of MLA-	MLA-3202 BCOP Assay OECD	19	Additional Attachments	
20	Assessment of Acute Oral Toxicity with MLA-3202 in the Rat (Acute Toxic Class Method) OECD 423		19	Additional Attachments	
21	Evaluation of the Mutagenic Activity of MLA-3202	MLA-3202 Ames Assay OECD	35	Additional Attachments	
	Mark (X) this box if the data continues on the n	ext page.		X	

EPA FORM 7710-25 (Rev. 6-09)



2017P12X1-1 PMN Page 12 (1)

## **Part III -- LIST OF ATTACHMENTS**

Attach continuation sheets for sections of the form, test data and other data (including physical/chemical properties and structure/activity information), and optional information after this page. Clearly identify the attachment and the section of the form to which it relates, if appropriate. Number consecutively the pages of any paper attachments. In the Number of Pages column below, enter the inclusive page numbers of each attachment for paper submissions or enter the total number of pages for each attachment for electronic submissions. Electronic attachments can be identified by filename.

Mark (X) the "Confidential" box next to any attachment name or filename you claim as confidential. Read the Instructions Manual for guidance on how to claim any information in an attachment as confidential. You must include with the sanitized copy of the

notice form a sanitized version of any attachment in which you claim information as confidential.

#	Attachment Name	Attachment Filename	Number of Pages	Associated PMN Section Number	СВІ
22	Evaluation of the Ability of MLA-3202 to Induce Chromosome Aberrations in Cultured Peripheral	MLA-3202 Chromosome Aberration in vitro OECD 473 CR	29	Additional Attachments	
23	Mouse Lymphoma Gene Mutation test (OECD 490)	MLA-3202 In Vitro Mouse Lymphoma Gene Mutation Test	62	Additional Attachments	
24	Reproduction/Developmental Toxicity Screening Test of MLA-3202 in Rats by Oral Gavage (OECD	MLA-3202 Repro Screening Rat OECD 421 CR	197	Additional Attachments	
25	In Vitro Skin Corrosion Test with MLA-3202 Using a Human Skin Model (OECD 431)	MLA-3202 In Vitro Skin Corrosion OECD 431 WIL	16	Additional Attachments	
26	In Vitro Skin Irritation Test with MLA-3202 Using a Human Skin Model (OECD 439)	MLA-3202 In Vitro Skin Irritation OECD 439 WIL 207258.pdf	20	Additional Attachments	
27	Primary Skin Irritation/Corrosion Study with MLA03292 In the Rabbit (4-Hour Semi-Occlusive	MLA-3202 Skin Irritation Rabbit CR 511873.pdf	18	Additional Attachments	
28	Assessment of Skin Sensitization to MLA-3202 in the Mouse (Local Lymph Node Assay) - False	MLA-3202 LLNA CR 207258 511875.pdf	23	Additional Attachments	
29	Skin Sensitization in Guinea Pigs (OECD 406)	MLA-3202 Buehler Skin Sensitization Stillmeadow 20252-	19	Additional Attachments	
30	Acute Toxicity Study in Daphnia Magna with MLA-3202 (Static)	MLA-3202 Daphnia acute OECD 202 EAG 207258_ 511881.pdf	34	Additional Attachments	
31	Report for Acute Toxicity test to Earthworm of MLA-3202 (OECD 207)	MLA-3202 Acute Toxicity to Earthworm Nanjing	18	Additional Attachments	
32	Report for Acute Toxicity of MLA-3202 to Fish (Gobiocypris rarus) OECD 203	MLA-3202 Acute Toxicity to Fish Nanjing 2016NC020-203-EN-	28	Additional Attachments	
33	96-Hour Acute Toxicity Study in Carp with MLA-	MLA-3202 Fish acute OECD 203	33	Additional Attachments	
34	Fresh Water Algal Growth Inhibition Test with MLA-3202 (OECD 201)	MLA-3202 Algae OECD 201 EAG 207258_ 511882.pdf	42	Additional Attachments	
35	Report for Inherent Biodegradation Test of MLA-3202 (OECD 302C)	MLA-3202 Inherent Biodegradation Nanjing-	24	Additional Attachments	
36	Determination of 'Ready' Biodegradability: Carbon	207258_511884_Chemtura_Biod	20	Additional Attachments	
37	Activated Sludge Respiration Inhibition Test (Carbon and Ammonium Oxidation) with MLA-	207258_511885_Chemtura_ Inhib. of resp. OECD 209.pdf	24	Additional Attachments	
38	Process Flow Diagram	Process Flow Diagram for additising a lubricant using MLA-	1	Optional Pollution Prevention	
	Mark (X) this box if the data continues on the n	ext page.			

EPA FORM 7710-25 (Rev. 6-09)



Particle Size Distribution

Other - Specify

Vapor Pressure @ 25°C

							;	SANITIZED SU	BMISSION				
PMN2017P13  PMN Page 13  PHYSICAL AND CHEMICAL PROPERTIES WORKSHEET													
The information on this page refers to chemical n				2	]3	4	Ш	56					
To assist EPA's review of physical and chemical properties data, please complete the following worksheet for data you provide and include it in the notice. Identify the property measured, the value of the property, the units in which the property is measured (as necessary), and whether or not the property is claimed as confidential. Give the attachment number (found on page 12) in column (b). The physical state of the neat substance should be provided. These measured properties should be for the neat (100% pure) chemical substance. Properties that are measured for mixtures or comulations should be so noted (% PMN substance in). You are not required to submit this worksheet; however, EPA strongly recommends that you do so, as it will simplify the review and ensure that confidential information is properly protected. You should submit this worksheet as a supplement to your submission of test data. This worksheet is not a substitute for submission of test data.													
Property (a) Unit		Mark X if Provided	Attachment Number (b)	Value (c)			Measured or Estimate (M or E)	CBI Mark (X) (d)					
Physical state of neat substance		X		(solid)	(liquid)	(gas	]	Measured					
	°C	X		1.6 x 10-8 <b>Torr</b>		Measured							
Density/relative density		X		0.941		g/cm	13	Measured					
	°C					g/L							
	°C	X		0.00054		g/L		Measured					
Melting Temperature		X		-50 to +10 °C		Measured							
1	Torr					°C							
Dissociation constant				No pKa in the pH			Measured						
Octanol / water partition coefficient				Log Pow >5.3			Measured						
Volatilization from water													
H@ concentration 1%		X		4.7			Measured						
Flammability		X		Not highly			Estimate						
		X			ve			Measured					
Adsorption / Coefficient				Multiple peaks			Measured						
	PHYSICAL refers to chem and chemical pro- ed, the value of the diversity of the attachmes should be for the period of the period	PHYSICAL AND refers to chemical n and chemical properties ed, the value of the prop Give the attachment nun es should be for the neal PMN substance in). ew and ensure that confi est data. This worksheet  Unit  C  C  C  Torr	PMN PHYSICAL AND CHEMICA refers to chemical number(s): and chemical properties data, please of ed, the value of the property, the units Give the attachment number (found or es should be for the neat (100% pure) PMN substance in). You are not reverse data. This worksheet is not a substance in a substance in). You are not reverse data. This worksheet is not a substance in).  C	PMN Page 13 PHYSICAL AND CHEMICAL PROPER refers to chemical number(s): X 1  Ind chemical properties data, please complete the fed, the value of the property, the units in which the passe should be for the neat (100% pure) chemical sub-PMN substance in). You are not required to sub-extend and ensure that confidential information is propered to data. This worksheet is not a substitute for submit and ensure that confidential information is propered to data. This worksheet is not a substitute for submit and ensure that confidential information is propered to data. This worksheet is not a substitute for submit and ensure that confidential information is propered to data. This worksheet is not a substitute for submit and ensure that confidential information is propered to data. This worksheet is not a substitute for submit and ensure that confidential information is propered to data. This worksheet is not a substitute for submit and ensure that confidential information is propered to data. This worksheet is not a substitute for submit and ensure that confidential information is propered to data. This worksheet is not a substitute for submit and ensure that confidential information is propered to submit and ensure that confidential information is propered to submit and ensure that confidential information is propered to submit and ensure that confidential information is propered to submit and ensure that confidential information is propered to submit and ensure that confidential information is propered to submit and ensure that confidential information is propered to submit and ensure that confidential information is propered to submit and ensure that confidential information is propered to submit and ensure that confidential information is propered to submit and ensure that confidential information is propered to submit and ensure that confidential information is propered to submit and ensure that confidential information is propered to submit and ensure that confidential information is propered to submit and ens	PMN Page 13 PHYSICAL AND CHEMICAL PROPERTIES WOF refers to chemical number(s): X 1 2 Indicate the properties data, please complete the following works and, the value of the property, the units in which the property is medicate the attachment number (found on page 12) in column (b). The should be for the neat (100% pure) chemical substance. Proper PMN substance in). You are not required to submit this works are and ensure that confidential information is properly protected, set data. This worksheet is not a substitute for submission of test of the provided of the	PMN Page 13 PHYSICAL AND CHEMICAL PROPERTIES WORKSHEE refers to chemical number(s):	PMN Page 13  PHYSICAL AND CHEMICAL PROPERTIES WORKSHEET refers to chemical number(s):    X 1	PMN Page 13  PHYSICAL AND CHEMICAL PROPERTIES WORKSHEET refers to chemical number(s): X 1 2 3 4 4   Ind chemical properties data, please complete the following worksheet for data you provided, the value of the property, the units in which the property is measured (as necessary), size the attachment number (found on page 12) in column (b). The physical state of the resistance in, You are not required to submit this worksheet, however, EPA stream and ensure that confidential information is properly protected. You should submit this state data. This worksheet is not a substitute for submission of test data.    Value	PMN Page 13  PHYSICAL AND CHEMICAL PROPERTIES WORKSHEET refers to chemical number(s): X 1 2 3 4 5 6  Indicate control of the property, the units in which the property is measured (as necessary), and whether or sive the attachment number (found on page 12) in column (b). The physical state of the neat substance is should be for the neat (100% pure) chemical substance. Properties that are measured for mixtures or PMN substance in				

X

3.5 x 10-8 Torr

Measured



ID	Field					
	PHYSICAL AN	D CHEMICA		TIES WORKSHEET		
Pr	operty (a)	Mark X if Provided	Attachment Number (b)	Value (c)	Measured or Estimate (M or E)	CBI Mark (X) (d)
Other – Specify	Surface Tension at 20°C			57.2 mN/m Surface Active	Measured	
Other – Specify	Flash Point			No Flash Point	Measured	
Other – Specify	Auto-Ignition Temperature			360 °C	Measured	
Other – Specify	Oxidizing Properties			Not Oxidizing	Measured	
Other – Specify	Boiling Temperature			None. Reaction and/or decomposition at >200°C	Measured	
Other – Specify	Appearance			Amber liquid	Measured	
Other – Specify	pH of pure test substance			6.5	Measured	
Other – Specify	Viscosity @ 20°C			1116 mm2/s	Measured	
Other – Specify	Viscosity @ 40°C			245 mm2/s	Measured	
Other – Specify	Hydrolysis at pH 4, 7 & 9			Hydrolytically Stable	Measured	
Other – Specify						
Other - Specify						
Other – Specify						
Other – Specify						
Other – Specify						
Other – Specify						